

FIG. 1


































FIG. 2















09970148-100201

















I




II




III




IV




V




VI




VII




VIII




IX




X




XI




XII




XIII




XIV




XV




XVI




XVII



XVIII




XIX




XX


FIG. 9




XXI



XXII




XXIII



XXIV




XXV




XXVI




XXVII




XXVIII




XXIX




XXX



XXXI



XXXII




R = SO₃Na


XXXIII




XXXIV




XXXV




XXXVI




XXXVII



XXXVIII



XXXIX



XL

FIG. 10




















FIG. 11




LV




LVI




LVII




LVIII




LIX




LX



LXI




LXII




LXIII


FIG. 12




LXIV




LXV




LXVI




LXVII




LXVIII




LXIX




LXX




LXXI



LXXII




LXXIII




LXXIV


FIG. 13



LXXV



LXXVI



LXXVII

FIG. 14

09970148-100201
T0200T" 84T02660




FIGURE 15

09970148-100201
T0200T" 84T02660




FIGURE 16

ELISA

RANTES (80ng/ml) binding
inhibition





FIGURE 17

ELISA

RANTES (80ng/ml) binding
inhibition



.. Abs. read after 1 hr inc.
with ABTS substrate.

FIGURE 18

FO200T"84T04660




FIGURE 19

ELISA

IL-8 (80ng/ml) binding inhibition





FIGURE 20

ELISA

RANTES (80ng/ml) binding inhibition
with compound



Heparin coated wells
(40 ng/well)

FIGURE 21

ELISA

IL-8 (80ng/ml) binding inhibition
with compound




FIGURE 22

ELISA

Binding inhibition





FIGURE 23

ELISA

EOTAXIN (80ng/ml) binding
inhibition




Heparin coated wells
(40ng/well)

FIGURE 24

ELISA

EOTAXIN (80ng/ml) binding
inhibition



Heparin coated wells
(40ng/well)

6

FIGURE 25

ELISA

EOTAXIN (80ng/ml) binding
inhibition




FIGURE 26

09970149-100001

ELISA

RANTES (80ng/ml) binding inhibition
with compounds




FIGURE 27

10200T" 84T02660

ELISA

IL-8 (80ng/ml) binding inhibition
with compounds




FIGURE 28